




Recessed

RIO	58	VISTA DISC	71
RIO SQUARE	58	VARO FLOW DISC	74
ONA	60	VARO FLOW IN	74
ONA FLEX	60	APOLLO	75
MIRO	59	EROS 170	77
MIRO FLEX	59	EROS 215	77
NORA	62	LOTUS	78
ONIS DISC	62	LOTUS SQUARE	79
ORION	63	CERES	82
ORION FLEX	63	SCOOP	82
ORION DEEP	63	SCOOP SQUARE	83
ORION II FLEX FLAT	63	CARERO	84
ORION II FLEX	63	POJARIS	89
NOVA	66	MODITO	89
NOVA FLEX	66	POLLUX	89
NOVA DEEP	66	LATERNA	92
NOVA II FLEX FLAT	66	RONDO UP	92
NOVA II FLEX	66		
DION FLEX	67		
DION II FLEX	67		
DION III FLEX	70		

RIO



RIO LED



LUM. FLUX	LED PWR	CFI	CCT	SYSTEM PWR	EE	DIM.
400lm Ø 140mA	3.4W	90	2700K	3.0W	A+	DALI+ / LV
600lm Ø 180mA	4.4W	90	2700K	6.0W	A+	DALI+ / LV
800lm Ø 250mA	5.5W	90	2700K	8.1W	A+	DALI+ / LV
1000lm Ø 350mA	8.9W	90	2700K	11.0W	A+	DALI+ / LV / TRI-E

Mounting

Options

Spring Clips

- wall springs
- Ceiling springs

- Drivers** p. 306
- LED driver non-dimmable
 - LED driver DALI
 - LED driver dim. 1-10V
 - LED driver TRI-E


REMARKS

- 4000K on request

MIRO



MIRO LED



LUM. FLUX	LED PWR	CFI	CCT	SYSTEM PWR	EE	DIM.
400lm Ø 140mA	3.4W	90	2700K	3.0W	A+	DALI+ / LV
600lm Ø 180mA	4.4W	90	2700K	6.0W	A+	DALI+ / LV
800lm Ø 250mA	5.5W	90	2700K	8.1W	A+	DALI+ / LV
1000lm Ø 350mA	8.9W	90	2700K	11.0W	A+	DALI+ / LV / TRI-E

Mounting

Options


REMARKS

- 4000K on request

RIO SQUARE



RIO SQUARE LED



LUM. FLUX	LED PWR	CFI	CCT	SYSTEM PWR	EE	DIM.
400lm Ø 140mA	3.4W	90	2700K	3.0W	A+	DALI+ / LV
600lm Ø 180mA	4.4W	90	2700K	6.0W	A+	DALI+ / LV
800lm Ø 250mA	5.5W	90	2700K	8.1W	A+	DALI+ / LV
1000lm Ø 350mA	8.9W	90	2700K	11.0W	A+	DALI+ / LV / TRI-E

Mounting

Options

Spring Clips

- wall springs
- Ceiling springs

- Drivers** p. 306
- LED driver non-dimmable
 - LED driver DALI
 - LED driver dim. 1-10V
 - LED driver TRI-E


REMARKS

- 4000K on request

ONA



ONA LED



LUM. FLUX	LED PWR	CRI	CTI	SYSTEM PWR	EEL	DIM.
400lm Ø140mA	3.4W 3.4W	90	2700K	3.0W	A+	DALI / 1-1V
600lm	4.4W	90	2700K	6.0W	A+	DALI / 1-1V
800lm Ø180mA	4.4W	90	3000K	6.0W	A+	
1000lm Ø250mA	5.5W	90	2700K	8.1W	A+	DALI / 1-1V
1000lm Ø250mA	5.9W	90	3000K	11.0W	A+	DALI / 0V/1-1V
1000lm Ø250mA	5.9W	90	3000K	11.0W	A+	DALI / 0V/1-1V

REMARKS

• 4000K on request

MOUNTING



• Clip springs

OPTIONS



• Coil springs


DRIVERS p. 504

- LEDSeries condImmortals
- LEDSeries DALI
- LEDSeries dim-1-0V
- LEDSeries T4E

ONA FLEX



ONA FLEX LED



LUM. FLUX	LED PWR	CRI	CTI	SYSTEM PWR	EEL	DIM.
400lm Ø140mA	3.4W 3.4W	90	2700K	3.0W	A+	DALI / 1-1V
600lm	4.4W	90	2700K	6.0W	A+	DALI / 1-1V
800lm Ø180mA	4.4W	90	3000K	6.0W	A+	
1000lm Ø250mA	5.5W	90	2700K	8.1W	A+	DALI / 1-1V
1000lm Ø250mA	5.9W	90	3000K	11.0W	A+	DALI / 0V/1-1V
1000lm Ø250mA	5.9W	90	3000K	11.0W	A+	DALI / 0V/1-1V

REMARKS

• 4000K on request

MOUNTING



• Clip springs


OPTIONS



• Coil springs


DRIVERS p. 504

- LEDSeries condImmortals
- LEDSeries DALI
- LEDSeries dim-1-0V
- LEDSeries T4E



Interstock/ BE - Rouse

NORA



NORA LED

LUM. FLUX	LED PWR	CRI	CCI	SYSTEM PWR	EEI	DIM.
400lm	3.4W	90	2700K	3.5W	A+	DALI/1-2V
400lm	4.4W	90	2700K	6.5W	A+	DALI/1-2V
600lm	5.5W	90	2700K	8.1W	A+	DALI/1-0V
1000lm	9.9W	90	2700K	11.0W	A+	DALI/1-0V/1-2V
1000lm	9.9W	90	3000K	11.0W	A+	

Mounting



Options



REMARKS
- 4000°C on request


SPRING CLIPS

- Back springs
- Call springs

DRIVERS

- LED-Drivers in 50°C
- LED-Drivers 2x11
- LED-Drivers 2x11-0V
- LED-Drivers 2x11-0V
- LED-Drivers 2x11

ONIS DISC



ONIS DISC LED

LUM. FLUX	LED PWR	CRI	CCI	SYSTEM PWR	EEI	DIM.
400lm	3.4W	90	2700K	3.5W	A	DALI/1-2V
400lm	3.4W	90	3000K	3.5W	A+	
400lm	4.4W	90	2700K	6.5W	A+	DALI/1-2V
600lm	5.5W	90	2700K	8.1W	A+	DALI/1-0V
1000lm	9.9W	90	2700K	10.5W	A+	DALI/1-0V/1-2V
1000lm	9.9W	90	3000K	10.5W	A+	

Mounting




Options



DRIVERS

- LED-Drivers in 50°C
- LED-Drivers 2x11
- LED-Drivers 2x11-0V
- LED-Drivers 2x11

ORION



ORION LED

LUM. FLUX	LED PWR	CRI	CCI	SYSTEM PWR	EEI	DIM.
1000lm	7.9W	92	5700K	9.5W	A+	DALI
1000lm	7.9W	92	4000K	9.5W	A+	
1000lm	8.1W	92	CVW	10.1W	A+	DALI
1500lm	11.5W	92	2700K	3.7W	A+	DALI
1500lm	11.5W	92	4000K	3.8W	A+	
1500lm	16.9W	92	MEAT	9.2W	A	DALI
1500lm	16.9W	92	COJD	27.9W	A	DALI
2000lm	17.1W	92	4000K	7.4W	A+	DALI
2000lm	16.6W	92	CVW	9.9W	A	DALI
2100lm	26.0W	92	MEAT	31.3W	A	DALI
2100lm	30.2W	92	COJD	34.3W	A	DALI
2400lm	19.6W	92	2700K	29.1W	A	DALI
2400lm	20.1W	92	4000K	29.6W	A	
2400lm	32.8W	92	MEAT	42.9W	A	DALI
2400lm	44.8W	92	COJD	49.9W	A	DALI
3000lm	24.8W	92	2700K	29.9W	A+	DALI
3000lm	23.7W	92	4000K	27.9W	A+	
3000lm	26.8W	92	4000K	29.6W	A+	
3500lm	29.1W	92	CVW	33.7W	A	DALI
3500lm	28.5W	92	2700K	33.1W	A+	DALI
3500lm	24.5W	92	4000K	28.9W	A+	
3500lm	28.1W	92	4000K	31.0W	A	DALI
4000lm	42.6W	92	CVW	46.6W	A	DALI
4000lm	39.5W	92	2700K	43.6W	A+	DALI
4000lm	33.5W	92	4000K	39.1W	A+	


Mounting



Options



ORION II FLEX FLAT



ORION II FLEX FLAT 2x LED

LUM. FLUX	LED PWR	CRI	CCI	SYSTEM PWR	EEI	DIM.
2x 1000lm	2x 7.9W	92	2700K	18.6W	A+	DALI
2x 1000lm	2x 7.9W	92	4000K	19.0W	A+	
2x 1000lm	2x 8.1W	92	CVW	20.2W	A	DALI
2x 1500lm	2x 11.5W	92	2700K	27.4W	A+	DALI
2x 1500lm	2x 11.5W	92	4000K	27.6W	A+	
2x 1500lm	2x 16.9W	92	MEAT	38.6W	A	DALI
2x 1500lm	2x 16.9W	92	COJD	7.0W	A	DALI
2x 2000lm	2x 16.9W	92	2700K	34.2W	A+	DALI
2x 2000lm	2x 17.1W	92	4000K	34.8W	A+	
2x 2000lm	2x 17.1W	92	4000K	34.8W	A+	
2x 2000lm	2x 16.6W	92	CVW	37.8W	A	DALI
2x 2100lm	2x 26.0W	92	MEAT	62.6W	A	DALI
2x 2100lm	2x 30.2W	92	COJD	65.0W	A	DALI
2x 2400lm	2x 19.6W	92	2700K	46.2W	A+	DALI
2x 2400lm	2x 20.1W	92	4000K	46.2W	A+	
2x 2400lm	2x 32.8W	92	MEAT	85.0W	A	DALI
2x 2400lm	2x 44.8W	92	COJD	99.0W	A	DALI
2x 3000lm	2x 24.8W	92	2700K	59.0W	A+	DALI
2x 3000lm	2x 23.7W	92	4000K	54.6W	A+	
2x 3000lm	2x 26.8W	92	4000K	56.8W	A+	
2x 3500lm	2x 29.1W	92	CVW	67.6W	A	DALI
2x 3500lm	2x 28.5W	92	2700K	65.7W	A+	DALI
2x 3500lm	2x 24.5W	92	4000K	57.8W	A+	
2x 4000lm	2x 34.0W	92	2700K	75.6W	A+	DALI
2x 4000lm	2x 32.0W	92	4000K	74.2W	A+	
2x 4000lm	2x 42.6W	92	CVW	92.6W	A	DALI
2x 4000lm	2x 39.5W	92	2700K	87.6W	A+	DALI
2x 4000lm	2x 33.5W	92	4000K	79.2W	A+	


Mounting



Options



ORION II FLEX



ORION II FLEX 2x LED


LUM. FLUX	LED PWR	CRI	CCI	SYSTEM PWR	EEI	DIM.
2x 1000lm	2x 7.9W	92	2700K	18.6W	A+	DALI
2x 1000lm	2x 7.9W	92	4000K	19.0W	A+	
2x 1000lm	2x 8.1W	92	CVW	20.2W	A	DALI
2x 1500lm	2x 11.5W	92	2700K	27.4W	A+	DALI
2x 1500lm	2x 11.5W	92	4000K	27.6W	A+	
2x 1500lm	2x 16.9W	92	MEAT	38.6W	A	DALI
2x 1500lm	2x 16.9W	92	COJD	7.0W	A	DALI
2x 2000lm	2x 16.9W	92	2700K	34.2W	A+	DALI
2x 2000lm	2x 17.1W	92	4000K	34.8W	A+	
2x 2000lm	2x 17.1W	92	4000K	34.8W	A+	
2x 2000lm	2x 16.6W	92	CVW	37.8W	A	DALI
2x 2100lm	2x 26.0W	92	MEAT	62.6W	A	DALI
2x 2100lm	2x 30.2W	92	COJD	65.0W	A	DALI
2x 2400lm	2x 19.6W	92	2700K	46.2W	A+	DALI
2x 2400lm	2x 20.1W	92	4000K	46.2W	A+	
2x 2400lm	2x 32.8W	92	MEAT	85.0W	A	DALI
2x 2400lm	2x 44.8W	92	COJD	99.0W	A	DALI
2x 3000lm	2x 24.8W	92	2700K	59.0W	A+	DALI
2x 3000lm	2x 23.7W	92	4000K	54.6W	A+	
2x 3000lm	2x 26.8W	92	4000K	56.8W	A+	
2x 3500lm	2x 29.1W	92	CVW	67.6W	A	DALI
2x 3500lm	2x 28.5W	92	2700K	65.7W	A+	DALI
2x 3500lm	2x 24.5W	92	4000K	57.8W	A+	
2x 4000lm	2x 34.0W	92	2700K	75.6W	A+	DALI
2x 4000lm	2x 32.0W	92	4000K	74.2W	A+	
2x 4000lm	2x 42.6W	92	CVW	92.6W	A	DALI
2x 4000lm	2x 39.5W	92	2700K	87.6W	A+	DALI
2x 4000lm	2x 33.5W	92	4000K	79.2W	A+	

Mounting



Options








DION III FLEX



DION III FLEX 3x LED



LUMEN FLUX	LED PWR	CR	CC	SYSTEM PWR	EEI	DIM
3x 1000 lm	3x 7,2W	92	2750K	21,6W	27,5W	Dim
3x 1500 lm	3x 10,8W	92	3000K	28,8W	37,5W	A+
3x 2000 lm	3x 14,4W	92	4000K	37,2W	47,5W	A+
3x 1000 lm	3x 7,2W	92	2750K	21,6W	27,5W	Dim
3x 1500 lm	3x 10,8W	92	3000K	28,8W	37,5W	A+
3x 2000 lm	3x 14,4W	92	4000K	37,2W	47,5W	A+
3x 1000 lm	3x 7,2W	92	2750K	21,6W	27,5W	Dim
3x 1500 lm	3x 10,8W	92	3000K	28,8W	37,5W	A+
3x 2000 lm	3x 14,4W	92	4000K	37,2W	47,5W	A+
3x 1000 lm	3x 7,2W	92	2750K	21,6W	27,5W	Dim
3x 1500 lm	3x 10,8W	92	3000K	28,8W	37,5W	A+
3x 2000 lm	3x 14,4W	92	4000K	37,2W	47,5W	A+
3x 1000 lm	3x 7,2W	92	2750K	21,6W	27,5W	Dim
3x 1500 lm	3x 10,8W	92	3000K	28,8W	37,5W	A+
3x 2000 lm	3x 14,4W	92	4000K	37,2W	47,5W	A+

REMARKS

- Combination of different light sources and reflectors in this strip possible

MOUNTING



OPTIONS



SPRING CLIPS

- wall springs
- rail springs


DRIVERS

- 3006
- 3006 with model number
- 3006 with DALI
- 3006 with dim - DALI

VISTA DISC



VISTA DISC LED



LAMP POWER	LUMEN FLUX	LED PWR	CR	CC	SYSTEM PWR	EEI	DIM
3,0W	300lm	3,0W	90	2750K	3,0W	100	Dim/1-10V
3,0W	300lm	3,0W	90	3000K	3,0W	100	Dim/1-10V
3,0W	300lm	3,0W	90	4000K	3,0W	100	Dim/1-10V

REMARKS


- 7002DK on request



VARO FLOW DISC



VARO FLOW DISC LED




LAMP POWER	LUM. FLUX	LED PWR	CFI	CCI	SYSTEM PWR	EEI	DIM.
1500 lm	16.8W	9.2W	92	MEAT	19.2W	A	DALI
1500 lm	16.5W	9.0W	92	50D	20.0W	A	DALI
2000 lm	18.0W	9.2W	92	300K	20.0W	A+	DALI
2000 lm	17.1W	9.2W	92	4000K	20.0W	A+	DALI
2000 lm	16.6W	9.2W	92	5W	19.6W	A	DALI
2100 lm	16.6W	9.2W	92	MFA	19.6W	A	DALI
2100 lm	30.2W	19.6W	92	50D	34.9W	A	DALI
2100 lm	19.6W	9.2W	92	2700K	23.1W	A+	DALI
2100 lm	20.9W	9.2W	92	4000K	23.1W	A+	DALI
3000 lm	23.7W	9.2W	92	300K	27.9W	A+	DALI
3000 lm	24.8W	9.2W	92	4000K	28.6W	A+	DALI
3000 lm	28.5W	9.2W	92	5W	33.7W	A	DALI
3000 lm	29.0W	9.2W	92	300K	34.1W	A	DALI
3000 lm	29.0W	9.2W	92	4000K	34.1W	A	DALI
4000 lm	34.9W	9.2W	92	2700K	37.7W	A+	DALI
4000 lm	35.0W	9.2W	92	4000K	37.7W	A+	DALI
4000 lm	42.4W	9.2W	92	5W	46.6W	A	DALI
4000 lm	39.5W	9.2W	92	2700K	43.8W	A+	DALI
4000 lm	39.5W	9.2W	92	4000K	43.8W	A+	DALI
4000 lm	33.7W	9.2W	92	4000K	39.1W	A+	DALI



OPTIONS
• Ik E4
• Ik E5

APOLLO



LUM. FLUX	LED PWR	CFI	CCI	SYSTEM PWR	EEI	DIM.
1500 lm	16.8W	92	MEAT	19.2W	A	DALI
1500 lm	16.5W	92	50D	20.0W	A	DALI
2000 lm	18.0W	92	300K	20.0W	A+	DALI
2000 lm	17.1W	92	4000K	20.0W	A+	DALI
2000 lm	16.6W	92	5W	19.6W	A	DALI
2100 lm	16.6W	92	MFA	19.6W	A	DALI
2100 lm	30.2W	92	50D	34.9W	A	DALI
2100 lm	19.6W	92	2700K	23.1W	A+	DALI
2100 lm	20.9W	92	4000K	23.1W	A+	DALI
2800 lm	23.7W	92	300K	27.9W	A+	DALI
2800 lm	24.8W	92	4000K	28.6W	A+	DALI
3000 lm	28.5W	92	5W	33.7W	A	DALI
3000 lm	29.0W	92	300K	34.1W	A	DALI
3000 lm	29.0W	92	4000K	34.1W	A	DALI
4000 lm	34.9W	92	2700K	37.7W	A+	DALI
4000 lm	35.0W	92	4000K	37.7W	A+	DALI
4000 lm	42.4W	92	5W	46.6W	A	DALI
4000 lm	39.5W	92	2700K	43.8W	A+	DALI
4000 lm	39.5W	92	4000K	43.8W	A+	DALI
4000 lm	33.7W	92	4000K	39.1W	A+	DALI



ACCESSORIES / OPTIONS
• Ik E4
• Ik E5

APOLLO LED



LUM. FLUX	LED PWR	CFI	CCI	SYSTEM PWR	EEI	DIM.
1500 lm	16.8W	92	MEAT	19.2W	A	DALI
1500 lm	16.5W	92	50D	20.0W	A	DALI
2000 lm	18.0W	92	300K	20.0W	A+	DALI
2000 lm	17.1W	92	4000K	20.0W	A+	DALI
2000 lm	16.6W	92	5W	19.6W	A	DALI
2100 lm	16.6W	92	MFA	19.6W	A	DALI
2100 lm	30.2W	92	50D	34.9W	A	DALI
2100 lm	19.6W	92	2700K	23.1W	A+	DALI
2100 lm	20.9W	92	4000K	23.1W	A+	DALI
2800 lm	23.7W	92	300K	27.9W	A+	DALI
2800 lm	24.8W	92	4000K	28.6W	A+	DALI
3000 lm	28.5W	92	5W	33.7W	A	DALI
3000 lm	29.0W	92	300K	34.1W	A	DALI
3000 lm	29.0W	92	4000K	34.1W	A	DALI
4000 lm	34.9W	92	2700K	37.7W	A+	DALI
4000 lm	35.0W	92	4000K	37.7W	A+	DALI
4000 lm	42.4W	92	5W	46.6W	A	DALI
4000 lm	39.5W	92	2700K	43.8W	A+	DALI
4000 lm	39.5W	92	4000K	43.8W	A+	DALI
4000 lm	33.7W	92	4000K	39.1W	A+	DALI




ACCESSORIES / OPTIONS
• Ik E4
• Ik E5

VARO FLOW IN



VARO FLOW IN LED



LUM. FLUX	LED PWR	CFI	CCI	SYSTEM PWR	EEI	DIM.
3000 lm	29.1W	92	CVW	33.7W	A	DALI
1500 lm	5.8W	92	MEAT	19.2W	A	DALI
4000 lm	57.6W	92	2700K	43.8W	A+	DALI
4000 lm	57.7W	92	3000K	39.6W	A+	DALI
4000 lm	55.9W	92	4000K	39.1W	A+	DALI
2100 lm	12.6W	92	CVW	16.6W	A	DALI
2000 lm	15.8W	92	2700K	19.1W	A+	DALI
2000 lm	17.1W	92	4000K	19.6W	A+	DALI
2000 lm	16.6W	92	CVW	18.9W	A	DALI
2000 lm	19.6W	92	2700K	23.1W	A+	DALI
2000 lm	20.1W	92	3000K	23.8W	A+	DALI
2000 lm	19.6W	92	4000K	23.1W	A+	DALI
3000 lm	23.7W	92	2700K	27.9W	A+	DALI
3000 lm	24.8W	92	3000K	27.3W	A+	DALI
3000 lm	24.8W	92	4000K	26.6W	A+	DALI
3000 lm	28.5W	92	2700K	33.1W	A	DALI
3000 lm	29.0W	92	3000K	33.1W	A	DALI
3000 lm	29.0W	92	4000K	28.7W	A	DALI
4000 lm	34.0W	92	2700K	37.7W	A+	DALI
4000 lm	32.0W	92	3000K	37.1W	A+	DALI
4000 lm	28.6W	92	4000K	33.0W	A+	DALI




OPTIONS
• Ik E4
• Ik E5

VARO FLOW IN LED



VARO FLOW IN LED




LUM. FLUX	LED PWR	CFI	CCI	SYSTEM PWR	EEI	DIM.
3000 lm	29.1W	92	CVW	33.7W	A	DALI
1500 lm	5.8W	92	MEAT	19.2W	A	DALI
4000 lm	57.6W	92	2700K	43.8W	A+	DALI
4000 lm	57.7W	92	3000K	39.6W	A+	DALI
4000 lm	55.9W	92	4000K	39.1W	A+	DALI
2100 lm	12.6W	92	CVW	16.6W	A	DALI
2000 lm	15.8W	92	2700K	19.1W	A+	DALI
2000 lm	17.1W	92	4000K	19.6W	A+	DALI
2000 lm	16.6W	92	CVW	18.9W	A	DALI
2000 lm	19.6W	92	2700K	23.1W	A+	DALI
2000 lm	20.1W	92	3000K	23.8W	A+	DALI
2000 lm	19.6W	92	4000K	23.1W	A+	DALI
3000 lm	23.7W	92	2700K	27.9W	A+	DALI
3000 lm	24.8W	92	3000K	27.3W	A+	DALI
3000 lm	24.8W	92	4000K	26.6W	A+	DALI
3000 lm	28.5W	92	2700K	33.1W	A	DALI
3000 lm	29.0W	92	3000K	33.1W	A	DALI
3000 lm	29.0W	92	4000K	28.7W	A	DALI
4000 lm	34.0W	92	2700K	37.7W	A+	DALI
4000 lm	32.0W	92	3000K	37.1W	A+	DALI
4000 lm	28.6W	92	4000K	33.0W	A+	DALI



OPTIONS
• Ik E4
• Ik E5


EROS 170



EROS 170 LED


LUMEN FLUX	CRI	CCT	SYSTEM PWR	EFF
1100 lm	80	3000K	9,5 W	A+
2000 lm	80	3000K	17,5 W	A+
3000 lm	80	3000K	26,5 W	A+
	80	4000K	26,5 W	A+

ACCESSORIES / OPTIONS



EROS 170: LP

EROS 215




EROS 215 LED

LUMEN FLUX	CRI	CCT	SYSTEM PWR	EFF
1100 lm	80	3000K	9,5 W	A+
2000 lm	80	3000K	17,5 W	A+
3000 lm	80	3000K	26,5 W	A+
	80	4000K	26,5 W	A+

ACCESSORIES / OPTIONS




EROS 215: LP



LOTUS



LOTUS LED



LUMEN FLUX	LED PWR	CRI	CC	SYSTEM PWR	EE	DIM
1500 lm	5.8W	92	REAR	19.2W	A	DIM
3000 lm	5.8W	92	50D	20.9W	A	DIM
3000 lm	7.1W	92	3000K	19.6W	A+	DIM
3000 lm	7.1W	92	4000K	19.6W	A+	DIM
2400 lm	5.6W	92	5W	18.6W	A	DIM
2100 lm	7.5W	92	REAR	30.3W	A	DIM
2100 lm	3.2W	92	50D	34.5W	A	DIM
2400 lm	19.6W	92	2700K	23.1W	A+	DIM
2400 lm	20.1W	92	3000K	23.3W	A+	DIM
2400 lm	20.9W	92	4000K	23.1W	A+	DIM
2800 lm	37.8W	92	REAR	42.5W	A	DIM
3000 lm	44.8W	92	50D	49.5W	A	DIM
3000 lm	24.1W	92	2700K	29.0W	A	DIM
3000 lm	24.8W	92	3000K	33.1W	A+	DIM
3000 lm	29.3W	92	4000K	33.8W	A+	DIM
4000 lm	32.0W	92	3000K	37.1W	A+	DIM
4000 lm	32.0W	92	4000K	37.1W	A+	DIM
4000 lm	45.6W	92	5W	45.6W	A	DIM
4300 lm	39.6W	92	2700K	45.8W	A+	DIM
4300 lm	40.5W	92	3000K	45.9W	A+	DIM
4300 lm	33.9W	92	4000K	33.1W	A+	DIM




Mounting


Options



LOTUS SQUARE LED



LUMEN FLUX	LED PWR	CRI	CC	SYSTEM PWR	EE	DIM
1500 lm	16.8W	92	REAR	19.2W	A	DIM
1500 lm	18.5W	92	50D	20.9W	A	DIM
3000 lm	9.1W	92	3000K	19.6W	A+	DIM
3000 lm	17.1W	92	4000K	9.8W	A+	DIM
2400 lm	16.6W	92	5W	8.6W	A	DIM
2100 lm	7.6W	92	REAR	31.3W	A	DIM
2100 lm	30.2W	92	50D	34.5W	A	DIM
2400 lm	19.6W	92	2700K	23.1W	A+	DIM
2400 lm	20.1W	92	3000K	23.3W	A+	DIM
2400 lm	20.9W	92	4000K	23.1W	A+	DIM
2800 lm	37.8W	92	REAR	42.5W	A	DIM
3000 lm	44.8W	92	50D	49.5W	A	DIM
3000 lm	24.1W	92	2700K	29.0W	A	DIM
3000 lm	24.8W	92	3000K	33.1W	A+	DIM
3000 lm	29.3W	92	4000K	33.8W	A+	DIM
4000 lm	32.0W	92	3000K	37.1W	A+	DIM
4000 lm	32.0W	92	4000K	37.1W	A+	DIM
4000 lm	45.6W	92	5W	45.6W	A	DIM
4300 lm	39.6W	92	2700K	45.8W	A+	DIM
4300 lm	40.5W	92	3000K	45.9W	A+	DIM
4300 lm	33.9W	92	4000K	33.1W	A+	DIM



Mounting

Options



ACCESSORIES / OPTIONS



REMARKS


- cable available as a bundle -> 15' Linaire



LOTUS



LOTUS HIT



LAMP POWER	LUMEN FLUX	CRI	CC	SYSTEM PWR	EE
33W E11	4000 lm	90	3000K	42W	A+
38W E12	3800 lm	90	4200K	42W	A+
38W E12	4300 lm	90	3000K	42W	A+
50W U1	5000 lm	90	3000K	55W	A+
50W U1	5000 lm	90	4000K	55W	A+
70W U1	7000 lm	90	3000K	80W	A+
70W U1	7000 lm	90	4000K	80W	A+
100W E11	11000 lm	90	3000K	110W	A+
100W E11	10350 lm	90	4200K	110W	A+




Mounting

Options



LOTUS SQUARE HIT



LAMP POWER	LUMEN FLUX	CRI	CC	SYSTEM PWR	EE
33W E11	4000 lm	90	3000K	42W	A+
38W E12	3800 lm	90	4200K	42W	A+
38W E12	4300 lm	90	3000K	42W	A+
50W U1	5000 lm	90	3000K	55W	A+
50W U1	5000 lm	90	4000K	55W	A+
70W U1	7000 lm	90	3000K	80W	A+
70W U1	7000 lm	90	4000K	80W	A+
100W E11	11000 lm	90	3000K	110W	A+
100W E11	10350 lm	90	4200K	110W	A+



Mounting

Options



ACCESSORIES / OPTIONS






CERES



CERES LED



LAMP POWER	LUM. FLUX	LED PWR	CR	CC	SYSTEM PWR	FEET	DIM.
35W EIT	2700 lm	27.0W	92	5300K	3.5W	A+	DALI
35W EIT	7.5W	7.5W	92	4000K	5.5W	A+	
1000 lm	8.1W	92	CV	3.1W	A	DALI	
1000 lm	11.5W	92	2700K	3.7W	A+	DALI	
1000 lm	11.6W	92	4000K	3.8W	A+	DALI	
1000 lm	16.8W	92	6600K	2.6W	A	DALI	
1000 lm	18.9W	92	7000K	2.9W	A	DALI	
2000 lm	18.9W	92	2700K	19.1W	A+	DALI	
2000 lm	17.1W	92	5300K	19.4W	A+	DALI	
2000 lm	16.6W	92	CV	18.9W	A	DALI	
2100 lm	26.0W	92	MEAT	30.3W	A	DALI	
2100 lm	19.6W	92	2700K	21.1W	A+	DALI	
2100 lm	20.1W	92	3000K	21.1W	A+	DALI	
2100 lm	20.1W	92	4000K	21.1W	A+	DALI	
3700 lm	24.9W	92	2700K	27.9W	A+	DALI	
3700 lm	23.7W	92	3000K	27.9W	A+	DALI	
3700 lm	29.1W	92	CV	33.7W	A	DALI	
3200 lm	28.5W	92	2700K	31.1W	A+	DALI	
3200 lm	32.0W	92	3000K	31.1W	A+	DALI	
4200 lm	24.8W	92	4000K	28.6W	A+	DALI	
4200 lm	34.0W	92	2700K	37.7W	A+	DALI	
4200 lm	32.0W	92	3000K	37.7W	A+	DALI	
4200 lm	28.4W	92	4000K	33.0W	A+	DALI	




MOUNTING

OPTIONS



SCOOP



LAMP POWER	LUM. FLUX	LED PWR	CR	CC	SYSTEM PWR	FEET	DIM.
35W EIT	2700 lm	27.0W	92	5300K	3.5W	A+	DALI
35W EIT	7.5W	7.5W	92	4000K	5.5W	A+	
35W EIT	4300 lm	90	3000K	42W	A+		
50W EIT	5000 lm	90	3000K	55W	A+		
50W EIT	5300 lm	90	4200K	55W	A+		
70W EIT	7500 lm	90	3000K	80W	A+		
70W EIT	8500 lm	90	4200K	80W	A+		
100W EIT	11200 lm	90	3000K	100W	A+		
100W EIT	12500 lm	90	4200K	100W	A+		



MOUNTING


OPTIONS



SCOOP



SCOOP LED



LUM. FLUX	LED PWR	CR	CC	SYSTEM PWR	FEET	DIM.
1000 lm	6.8W	92	MEAT	19.2W	A	DALI
1500 lm	5.5W	92	GOOD	20.9W	A	DALI
2000 lm	5.8W	92	2700K	19.1W	A+	DALI
2000 lm	7.1W	92	4000K	19.4W	A+	DALI
2000 lm	5.6W	92	CV	18.9W	A	DALI
2100 lm	21.0W	92	MEAT	30.3W	A	DALI
2100 lm	19.6W	92	2700K	21.1W	A+	DALI
2100 lm	20.1W	92	3000K	21.1W	A+	DALI
2800 lm	44.8W	92	MEAT	49.5W	A	DALI
2800 lm	29.1W	92	CV	33.7W	A	DALI
3000 lm	26.9W	92	2700K	29.8W	A+	DALI
3000 lm	24.8W	92	4000K	28.6W	A+	DALI
3000 lm	29.1W	92	CV	33.7W	A	DALI
3000 lm	26.5W	92	2700K	33.1W	A+	DALI
3000 lm	29.9W	92	3000K	33.3W	A+	DALI
4000 lm	35.7W	92	2700K	39.8W	A+	DALI
4000 lm	35.7W	92	3000K	39.8W	A+	DALI
4000 lm	42.4W	92	CV	46.4W	A	DALI
4000 lm	39.6W	92	2700K	43.8W	A+	DALI
4000 lm	35.7W	92	3000K	39.8W	A+	DALI
4000 lm	35.7W	92	4000K	39.1W	A+	DALI



MOUNTING

OPTIONS



SCOOP



SCOOP HIT



LAMP POWER	LUM. FLUX	LED PWR	CR	CC	SYSTEM PWR	FEET	DIM.
35W EIT	2700 lm	27.0W	92	5300K	3.5W	A+	DALI
35W EIT	7.5W	7.5W	92	4000K	5.5W	A+	
35W EIT	4300 lm	90	3000K	42W	A+		
50W EIT	5000 lm	90	3000K	55W	A+		
50W EIT	5300 lm	90	4200K	55W	A+		
70W EIT	7500 lm	90	3000K	80W	A+		
70W EIT	8500 lm	90	4200K	80W	A+		
100W EIT	11200 lm	90	3000K	100W	A+		
100W EIT	12500 lm	90	4200K	100W	A+		




MOUNTING

OPTIONS





CARERO LED



CARERO




LAMP POWER	LUM. FLUX	LED PWR	CFI	CCI	SYSTEM PWR	EEI	DIM.
1500 Ft	16.80V	•	NEG1	9.20V	A	DAI	DAI
1500 Ft	16.80V	•	EQD3	2.90V	A	DAI	DAI
2000 Ft	17.10V	•	2000K	7.40V	A+	DAI	DAI
2000 Ft	17.10V	•	4000K	7.40V	A+	DAI	DAI
2600 Ft	16.60V	•	26W	1.90V	A	DAI	DAI
2100 Ft	16.60V	•	MFA	3.30V	A	DAI	DAI
2100 Ft	30.20V	•	EQD3	34.90V	A	DAI	DAI
2500 Ft	19.60V	•	2720K	23.10V	A+	DAI	DAI
2500 Ft	20.10V	•	5220K	23.10V	A+	DAI	DAI
2500 Ft	20.90V	•	4520K	23.10V	A+	DAI	DAI
2800 Ft	17.80V	•	MFA	42.50V	A	DAI	DAI
2800 Ft	44.80V	•	EQD3	49.50V	A	DAI	DAI
3300 Ft	21.90V	•	3120K	27.00V	A+	DAI	DAI
3300 Ft	21.90V	•	4120K	27.00V	A+	DAI	DAI
3300 Ft	21.90V	•	46120K	28.60V	A+	DAI	DAI
3700 Ft	19.10V	•	CM	31.70V	A	DAI	DAI
3700 Ft	28.50V	•	2700K	33.10V	A+	DAI	DAI
3700 Ft	29.10V	•	3000K	33.50V	A+	DAI	DAI
4200 Ft	32.50V	•	3950K	37.90V	A+	DAI	DAI
4200 Ft	32.50V	•	4000K	37.10V	A+	DAI	DAI
4200 Ft	32.50V	•	4000K	33.00V	A+	DAI	DAI
4500 Ft	45.20V	•	CM	66.60V	A	DAI	DAI
4500 Ft	39.50V	•	2700K	43.80V	A+	DAI	DAI
4500 Ft	39.50V	•	3000K	43.80V	A+	DAI	DAI
4500 Ft	33.20V	•	4000K	39.10V	A+	DAI	DAI

ACCESORIOS / OPTIONS



CARERO HIT



CARERO

LAMP POWER	LUM. FLUX	CFI	CCI	SYSTEM PWR	EEI
30W E11	4000 Ft	90	3000K	42W	A+
30W E11	3800 Ft	90	4500K	42W	A+
30W E11	4000 Ft	90	3000K	42W	A+
50W U1	5000 Ft	90	3000K	55W	A+
70W U1	7000 Ft	90	3000K	80W	A+
70W E11	7000 Ft	90	4500K	80W	A+
70W E11	8800 Ft	90	3000K	80W	A+



Boucherie Marguerite / FR - Paris / Pop's Création




Rouge Orange / FR - Carré Séniort / bureau d'architectes Carré Noir

POLARIS




POLARIS LED



LUM. FLUX	LED PWR	CR	CC	SYSTEM PWR	LED	DM
1500 lm	18.8W	92	MFAT	19.2W	A	DALI
1500 lm	18.5W	92	EQD	20.0W	A	DALI
2000 lm	24.0W	92	MFAT	24.0W	A+	DALI
2000 lm	23.7W	92	EQD	24.0W	A+	DALI
2400 lm	28.0W	92	MFAT	28.0W	A	DALI
2400 lm	27.6W	92	EQD	28.0W	A	DALI
3000 lm	35.0W	92	MFAT	35.0W	A+	DALI
3000 lm	34.6W	92	EQD	35.0W	A+	DALI
3600 lm	42.0W	92	MFAT	42.0W	A+	DALI
3600 lm	41.6W	92	EQD	42.0W	A+	DALI
4200 lm	50.0W	92	MFAT	50.0W	A+	DALI
4200 lm	49.6W	92	EQD	50.0W	A+	DALI

DUALIS POLARIS



When you have our former Dualis system with the fixture Walldo, you can easily switch to the Polaris with this module.

REMARKS

• Can be mounted on the Dualis end-rigway system


Mounting




Options



MODITO



MODITO LED



LUM. FLUX	LED PWR	CR	CC	SYSTEM PWR	LED	DM
4700 lm	30.0W	92	MFAT	30.0W	A+	DALI
4700 lm	29.6W	92	EQD	30.0W	A+	DALI

REMARKS

• Also available with prismatic diffuser (LGRK 9)
• only suitable for wall type installation

Mounting




MODITO AR




MODITO UP

POLLUX



POLLUX 4x LED



LUM. FLUX	LED PWR	CR	CC	SYSTEM PWR	LED	DM
4617 lm	26.0W	80	MFAT	26.0W	A+	DALI
4617 lm	25.6W	80	EQD	26.0W	A+	DALI

Mounting



POLLUX AR



POLLUX UP

Options





VOLVO XC60




accessoirewiel en 20" Condor, matgris
Pirelli zomerbanden

gant Luxury Styling Kit, matgris
porbair voorraan en bumperpaar achteraan
wee gheïntegreerde uitlaats




RIJSGE | OOSTENDE | ROESSELAIRE | TIELT | VEERDRE | ZWESPEL

LATERNA



LATERNA LED



LUM. FLUX	LED PWR	CFI	CCI	SYSTEM PWR	EFF	DMX
6000 lm	52.6W	90	3300K	23.5W	A++	DMX
8000 lm	42.6W	90	4000K	30W	A++	DMX
8000 lm	42.8W	90	3000K	48W	A++	DMX
10000 lm	52.8W	90	4000K	68W	A++	DMX
10000 lm	54.0W	90	3000K	90W	A++	DMX
10000 lm	54.0W	90	4000K	90W	A++	DMX
10000 lm	52.8W	80	3000K	68W	A++	DMX
10000 lm	52.8W	80	4000K	68W	A++	DMX
17000 lm	84.0W	80	3000K	97W	A++	DMX
17000 lm	84.0W	80	4000K	97W	A++	DMX


- MOUNTING:
 - 38x38
 - ATELNA UP
 - ATELNA AR

- OPTIONS:
 - Address

RONDO UP



RONDO UP LED



LUM. FLUX	LED PWR	CFI	CCI	SYSTEM PWR	EFF	DMX
1000 lm	6.8W	-	MEAT	19.2W	A	DMX
1000 lm	6.5W	-	COOL	20.0W	A	DMX
2000 lm	6.8W	92	2700K	19.1W	A+	DMX
2000 lm	7.1W	92	4000K	19.6W	A+	DMX
2000 lm	5.6W	92	CW	18.9W	A	DMX
2100 lm	24.0W	-	MEAT	30.3W	A	DMX
2100 lm	32.5W	-	COOL	34.5W	A	DMX
2100 lm	19.6W	92	2700K	23.1W	A+	DMX
2100 lm	20.1W	92	3000K	23.3W	A+	DMX
2100 lm	20.9W	92	4000K	23.1W	A+	DMX
2800 lm	37.8W	-	MEAT	42.3W	A	DMX
2800 lm	46.8W	-	COOL	49.3W	A	DMX
3000 lm	26.9W	92	2700K	29.0W	A+	DMX
3000 lm	26.8W	92	3000K	28.6W	A+	DMX
3000 lm	26.8W	92	4000K	28.6W	A+	DMX
3000 lm	29.1W	92	CW	33.7W	A	DMX
3000 lm	28.5W	92	2700K	33.1W	A+	DMX
3000 lm	29.3W	92	3000K	33.8W	A+	DMX
3000 lm	28.8W	92	4000K	28.9W	A+	DMX
4000 lm	35.0W	92	3000K	37.1W	A+	DMX
4000 lm	35.0W	92	4000K	37.1W	A+	DMX
4000 lm	28.4W	92	4000K	33.0W	A+	DMX
4000 lm	39.6W	92	2700K	43.8W	A+	DMX
4000 lm	32.7W	92	3000K	37.6W	A+	DMX
4000 lm	32.7W	92	4000K	37.6W	A+	DMX
4000 lm	35.7W	92	4000K	41.1W	A+	DMX

- MOUNTING:
 - 87x87
 - RONDO
 - RONDO TON

