

Suspended


IZARO AIR	126	PLANET AIR 500	162
DOME MINI	126	PLANET AIR 700	163
DOME	126	PLANET AIR 900	163
GIOBO 200	127	PLANET AIR 1100	163
GIOBO 350	127	MODITO AIR	166
CORNO 300	127	PLATO AIR	166
CORNO 460	127	POLLUX AIR	166
VASO 440 LINEA	129	RODA	168
VASO 600 LINEA	129	RONDO JR.	168
TUBE AIR 300	132	RONDO	169
TUBE AIR 450	133	NUDE	169
QUBE AIR 300	136	NUDE CAMPANA	172
QUBE AIR 450	137	NUDE CAMPANA SCOOP	172
BALLOON	138	NUDE CAMPANA APOILLO	173
FACTORY	138	NUDE CUPOLA MINI	176
WORKER	138	NUDE CUPOLA	176
ARCO 350	142	SATELITE APOILLO	178
ARCO 700	142	SATELITE LOTUS	178
CORNETTA	142	SATELITE SCOOP	179
BOZZO 220	142	KARDAN SCOOP	181
BOZZO 320	143	SKUARDO SCOOP	182
BOZZO PLUS 200	143	BORA	184
BOZZO PLUS 300	143	BORA ORION FLEX	184
ABIONI	143	BORA CERES	184
LUSTRO	144	GALEA	185
SWING	154	GALEA ORION FLEX	185
MOON BALL 250	160	GALEA CERES	185
MOON BALL 300	160	LATERNA AIR	186
MOON BALL 350	160	SOLAR AIR	186
FUSCHIO MINI	160	SOLAR II AIR	186
PLANET SQUIRCLE AIR 650	162	ROSA 700	188
PLANET SQUIRCLE AIR 950	162	ROSA SPOT 700	188
PLANET AIR 300	162		



IZARO AIR



IZARO AIR LED



LED FLUX	LED PWR	CRI	CCT	SYSTEM PWR	EEL	DIM
500 lm	1,0W	90	2700K	5,1W	A+	
1000 lm	2,0W	90	2700K	11,4W	A+	
1500 lm	3,4W	90	2700K	15,0W	A+	LEZE

Mounting



Options



Suspension




Suspension

- X, K
- X, T
- X, TU

DOVE MINI



DOVE MINI E27



LAMP POWER	EEL	DIM
max. 20W	A+	LEZE

REMARKS

- Dimming depends on lamp type

Mounting




Options




Suspension

- X, K
- X, T
- X, TU

DOVE



DOVE E27



LAMP POWER	EEL	DIM
max. 20W	A+	LEZE

REMARKS

- Dimming depends on lamp type

Mounting



Options




Suspension

- X, K
- X, T
- X, TU

GLOBO 200



GLOBO 200 E27



LAMP POWER	EEL	DIM
max. 20W	A+	LEZE


REMARKS

- Dimming depends on lamp type

GLOBO 350



GLOBO 350 E27




LAMP POWER	EEL	DIM
max. 20W	A+	LEZE


REMARKS

- Dimming depends on lamp type

CORNO 300



CORNO 300 E27




LAMP POWER	EEL	DIM
max. 20W	A+	LEZE


REMARKS

- Dimming depends on lamp type

CORNO 460



CORNO 460 E27



LAMP POWER	EEL	DIM
max. 20W	A+	LEZE


REMARKS

- Dimming depends on lamp type

VASO 440 LINEA



VASO 440 LINEA E27



LAMP POWER: E27 DIM
max. 230V A+2 T4,5E

REMARKS

- Dimming depends on lamp type

ADJUSTING




OPTIONS




SUSPENSION

- X, K
- X, T
- X, TU

VASO 600 LINEA




VASO 600 LINEA E27




LAMP POWER: E27 DIM
max. 230V A+2 T4,5E

REMARKS


- Dimming depends on lamp type




0' Tacos / FR - Dunkerque



TUBE AIR 300



TUBE AIR 300 LED



LUMEN FLUX	LED PWR	CR	CCI	SYSTEM PWR	EE	DM
1000 lm	7.5W 7.5W	92	2700K 4000K	9.5W 9.5W	A+	Dall
1000 lm	8.1W	92	2700K 4000K	10.1W 10.1W	A	Dall
1000 lm	11.5W 11.5W	92	2700K 4000K	13.7W 13.8W	A+	Dall
1000 lm	16.6W	92	2700K 4000K	19.6W 19.6W	A	Dall
1000 lm	18.9W	92	2700K 4000K	21.9W 21.9W	A	Dall
2000 lm	16.6W	92	2700K 4000K	19.6W 19.6W	A	Dall
2000 lm	30.2W	92	2700K 4000K	34.3W 34.3W	A	Dall
2000 lm	19.6W 20.1W	92	2700K 4000K	21.9W 21.9W	A	Dall
2000 lm	32.8W	92	2700K 4000K	37.9W 37.9W	A	Dall
2000 lm	44.8W	92	2700K 4000K	49.9W 49.9W	A	Dall
3000 lm	23.7W 23.7W	92	2700K 4000K	27.3W 27.3W	A+	Dall
3000 lm	29.1W	92	2700K 4000K	33.7W 33.7W	A	Dall
3000 lm	28.5W 28.8W	92	2700K 4000K	33.1W 33.9W	A+	Dall
4000 lm	16.1W 16.1W	92	2700K 4000K	17.7W 17.7W	A	Dall
4000 lm	32.0W 32.0W	92	2700K 4000K	37.1W 37.1W	A	Dall
4000 lm	49.6W	92	2700K 4000K	57.0W 57.0W	A	Dall



Mounting

Options



Suspension

- K1
- K2
- K3
- K4
- K5
- K6
- K7
- K8
- K9
- K10
- K11
- K12
- K13
- K14
- K15
- K16
- K17
- K18
- K19
- K20
- K21
- K22
- K23
- K24
- K25
- K26
- K27
- K28
- K29
- K30
- K31
- K32
- K33
- K34
- K35
- K36
- K37
- K38
- K39
- K40
- K41
- K42
- K43
- K44
- K45
- K46
- K47
- K48
- K49
- K50
- K51
- K52
- K53
- K54
- K55
- K56
- K57
- K58
- K59
- K60
- K61
- K62
- K63
- K64
- K65
- K66
- K67
- K68
- K69
- K70
- K71
- K72
- K73
- K74
- K75
- K76
- K77
- K78
- K79
- K80
- K81
- K82
- K83
- K84
- K85
- K86
- K87
- K88
- K89
- K90
- K91
- K92
- K93
- K94
- K95
- K96
- K97
- K98
- K99
- K100


REMARKS

- Dimming depends on lamp type

TUBE AIR 450



TUBE AIR 450 LED



LUMEN FLUX	LED PWR	CR	CCI	SYSTEM PWR	EE	DM
1000 lm	7.5W 7.5W	92	2700K 4000K	9.5W 9.5W	A+	Dall
1000 lm	8.1W	92	2700K 4000K	10.1W 10.1W	A	Dall
1000 lm	11.5W 11.5W	92	2700K 4000K	13.7W 13.8W	A+	Dall
1000 lm	16.6W	92	2700K 4000K	19.6W 19.6W	A	Dall
1000 lm	18.9W	92	2700K 4000K	21.9W 21.9W	A	Dall
2000 lm	16.6W	92	2700K 4000K	19.6W 19.6W	A	Dall
2000 lm	30.2W	92	2700K 4000K	34.3W 34.3W	A	Dall
2000 lm	19.6W 20.1W	92	2700K 4000K	21.9W 21.9W	A	Dall
2000 lm	32.8W	92	2700K 4000K	37.9W 37.9W	A	Dall
2000 lm	44.8W	92	2700K 4000K	49.9W 49.9W	A	Dall
3000 lm	23.7W 23.7W	92	2700K 4000K	27.3W 27.3W	A+	Dall
3000 lm	29.1W	92	2700K 4000K	33.7W 33.7W	A	Dall
3000 lm	28.5W 28.8W	92	2700K 4000K	33.1W 33.9W	A+	Dall
4000 lm	16.1W 16.1W	92	2700K 4000K	17.7W 17.7W	A	Dall
4000 lm	32.0W 32.0W	92	2700K 4000K	37.1W 37.1W	A	Dall
4000 lm	49.6W	92	2700K 4000K	57.0W 57.0W	A	Dall



Mounting


Options




Suspension

- K1
- K2
- K3
- K4
- K5
- K6
- K7
- K8
- K9
- K10
- K11
- K12
- K13
- K14
- K15
- K16
- K17
- K18
- K19
- K20
- K21
- K22
- K23
- K24
- K25
- K26
- K27
- K28
- K29
- K30
- K31
- K32
- K33
- K34
- K35
- K36
- K37
- K38
- K39
- K40
- K41
- K42
- K43
- K44
- K45
- K46
- K47
- K48
- K49
- K50
- K51
- K52
- K53
- K54
- K55
- K56
- K57
- K58
- K59
- K60
- K61
- K62
- K63
- K64
- K65
- K66
- K67
- K68
- K69
- K70
- K71
- K72
- K73
- K74
- K75
- K76
- K77
- K78
- K79
- K80
- K81
- K82
- K83
- K84
- K85
- K86
- K87
- K88
- K89
- K90
- K91
- K92
- K93
- K94
- K95
- K96
- K97
- K98
- K99
- K100

TUBE AIR 300




TUBE AIR 300 E27



LAMP POWER	EE	DM
max. 20W	A++	E27



Mounting




La maison du vapoteur / FR - Saint-Louis-Cappel

QUBE AIR 300



QUBE AIR 300 LED



LUMEN FLUX	LED POWER	CRF	CCF	SYSTEM POWER	EFF	Dim
1000 lm	7.3W 7.3W	92	5700K 3000K	9.5W	A+	DALI
1000 lm	8.1W	92	4000K	9.5W	A+	DALI
1000 lm	11.5W 11.5W	92	2700K 4000K	13.7W 13.8W	A+	DALI
1000 lm	5.4W	-	4000K	19.2W	A	DALI
1000 lm	15.9W	-	5700K 3000K	20.0W	A	DALI
2000 lm	17.1W	92	2700K 3000K	19.4W	A+	DALI
2000 lm	16.6W	92	4000K	19.4W	A	DALI
2100 lm	26.0W	-	MEAT	30.3W	A	DALI
2100 lm	30.2W	-	COOL	34.3W	A	DALI
2100 lm	19.6W 20.1W	92	2700K 3000K	24.1W 24.1W	A+	DALI
2100 lm	20.1W	-	MEAT	24.1W	A	DALI
2100 lm	32.8W	-	MEAT	42.9W	A	DALI
2800 lm	44.8W	-	COOL	49.9W	A	DALI
3000 lm	29.9W 23.7W	92	2700K 3000K	33.7W 27.3W	A+	DALI
3000 lm	26.8W	92	4000K	25.4W	A	DALI
3000 lm	29.1W	92	5700K	33.7W	A	DALI
3000 lm	28.5W 29.6W	92	2700K 3000K	33.1W 33.0W	A+	DALI
3000 lm	26.8W	92	4000K	25.4W	A	DALI
4000 lm	49.1W	92	2700K 3000K	57.7W 57.0W	A+	DALI
4000 lm	42.0W	92	4000K	47.0W	A	DALI
4000 lm	39.6W 33.9W	92	2700K 3000K	43.8W 39.1W	A+	DALI

MOUNTING



OPTIONS




SUSPENSION

- Ik Z1
- Ik K
- Ik Z1
- Ik TU
- Ik ZICO

QUBE AIR 450



QUBE AIR 450 LED



LUMEN FLUX	LED POWER	CRF	CCF	SYSTEM POWER	EFF	Dim
1000 lm	7.3W 7.3W	92	5700K 3000K	9.5W	A+	DALI
1000 lm	8.1W	92	4000K	9.5W	A+	DALI
1000 lm	11.5W 11.5W	92	2700K 4000K	13.7W 13.8W	A+	DALI
1000 lm	5.4W	-	4000K	19.2W	A	DALI
1000 lm	15.9W	-	5700K 3000K	20.0W	A	DALI
2000 lm	17.1W	92	2700K 3000K	19.4W	A+	DALI
2000 lm	16.6W	92	4000K	19.4W	A	DALI
2100 lm	26.0W	-	MEAT	30.3W	A	DALI
2100 lm	30.2W	-	COOL	34.3W	A	DALI
2100 lm	19.6W 20.1W	92	2700K 3000K	24.1W 24.1W	A+	DALI
2100 lm	20.1W	-	MEAT	24.1W	A	DALI
2100 lm	32.8W	-	MEAT	42.9W	A	DALI
2800 lm	44.8W	-	COOL	49.9W	A	DALI
3000 lm	29.9W 23.7W	92	2700K 3000K	33.7W 27.3W	A+	DALI
3000 lm	26.8W	92	4000K	25.4W	A	DALI
3000 lm	29.1W	92	5700K	33.7W	A	DALI
3000 lm	28.5W 29.6W	92	2700K 3000K	33.1W 33.0W	A+	DALI
3000 lm	26.8W	92	4000K	25.4W	A	DALI
4000 lm	49.1W	92	2700K 3000K	57.7W 57.0W	A+	DALI
4000 lm	42.0W	92	4000K	47.0W	A	DALI
4000 lm	39.6W 33.9W	92	2700K 3000K	43.8W 39.1W	A+	DALI

MOUNTING




OPTIONS




SUSPENSION

- Ik Z1
- Ik K
- Ik Z1
- Ik TU
- Ik ZICO

QUBE AIR 300



QUBE AIR 300 E27



LAMP POWER	EFF	Dim
max 20W	A++	E27


REMARKS

- Dimming depends on lamp type

BALLOON



BALLOON E27



LAMP POWER: E27 20W
max. 230V AC-D T_{amb} ≤ 35°C

REMARKS


- Black supply cable included of 1,5 m and fix for ceiling
- Dimming depends on lamp type



FACTORY



FACTORY E27




LAMP POWER: E27 20W
max. 230V AC-D T_{amb} ≤ 35°C

REMARKS


- Black supply cable included of 1,5 m and fix for ceiling
- Dimming depends on lamp type



WORKER



WORKER E27



LAMP POWER: E27 20W
max. 230V AC-D T_{amb} ≤ 35°C


REMARKS

- Black supply cable included of 1,5 m and fix for ceiling
- Dimming depends on lamp type






ARCO 350



ARCO 350 E27



LAMP POWER: E27
max. 200W A++ D -SE

REMARKS

- Other colors and materials on request
- Dimming depends on lamp type


Mounting




Suspension

- X-F
- X-L

ARCO 700



ARCO 700 E27



LAMP POWER: E27
max. 200W A++ D -SE

REMARKS

- Other colors and materials on request
- Dimming depends on lamp type

Mounting




Suspension

- X-F
- X-L

CORNETTA



CORNETTA E27



LAMP POWER: E27
max. 200W A++ D -SE

REMARKS

- Other colors and materials on request
- Dimming depends on lamp type


Mounting




Suspension

- X-F
- X-L

BOZZO 220



BOZZO 220 E27



LAMP POWER: E27
max. 200W A++ D -SE

REMARKS

- Other colors and materials on request
- Dimming depends on lamp type


Mounting




Suspension

- X-F
- X-L
- X-Z1
- X-ZT
- X-ZCO

BOZZO 320



BOZZO 320 E27



LAMP POWER: E27
max. 200W A++ D -SE

REMARKS

- Other colors and materials on request
- Dimming depends on lamp type


Mounting




Suspension

- X-F
- X-L

BOZZO PLUS 200



BOZZO PLUS 200 E27



LAMP POWER: E27
max. 200W A++ D -SE

REMARKS

- Other colors and materials on request
- Dimming depends on lamp type


Mounting




Suspension

- X-F
- X-L

BOZZO PLUS 300



BOZZO PLUS 300 E27



LAMP POWER: E27
max. 200W A++ D -SE

REMARKS

- Other colors and materials on request
- Dimming depends on lamp type


Mounting




Suspension

- X-F
- X-L

ABION



ABION 7x E27



LAMP POWER: E27
max. 200W A++ D -SE

REMARKS

- Other colors and materials on request
- Dimming depends on lamp type

Mounting



Suspension

- X-F
- X-L
- X-Z1
- X-ZT
- X-ZCO

Lustro


Custom made lamp shades

Shape 145
Light source 148
Accessories 149
Finishing 150

SHAPE

Almost every shape you can imagine, is possible to make.

COMMON DEMANDED SHAPES.




Diameter, length and height maximum 2 meters.

THESE ARE ALSO LUSTROS

CORNETTA




ABION



ARCO



BOZZO






Esprit Made / Bl - Genval

STEP 4 - FINISHING

- (Anti-flammable) textile
- PVC
- Combinations of PVC and Textile
- Other materials on request
- Different colours
- Printing: logo, your own design, ...





Swing


Combine retro light bulb with cable

Light bulb	156
Cable	157
Fitting	157
Swing Disc	157



LIGHT BULB

CARET GLOBE 115



CRI>80
CCT 2300K
diam. 65mm x 165mm
7,7W
Clear
Dimmable

LIGHT BULB EDISON 2.0.



CRI>80
CCT 2300K
diam. 65mm x 165mm
7,7W
Clear
Dimmable

LIGHT BULB TUBE 45



CRI>80
CCT 2300K
diam. 65mm x 165mm
7,7W
Clear
Dimmable

LIGHT BULB 95 CROWN



CRI>80
CCT 2300K
diam. 65mm x 165mm
7,7W
Clear
Dimmable

CARET SQUIRREL




CRI>80
CCT 2300K
diam. 65mm x 165mm
7,7W
Clear
Dimmable

LIGHT BULB R105



CRI>80
CCT 2300K
diam. 65mm x 165mm
7,7W
Clear
Dimmable

LIGHT BULB 125L



CRI>80
CCT 2300K
diam. 65mm x 165mm
7,7W
Clear
Dimmable

CABLE

BLACK SILICONE CABLE

per meter



TEXTILE CABLE

Different colours and shades.
Can be ordered per meter.

FITTING

BLACK FITTING

Standard plastic fitting.


SILICONE FITTING SLEEVE

To cover the standard black fitting.
Diam. 4,5 mm x 100 mm

COLOURS:


- sweet pink
- electric purple
- chocolate brown
- grass green
- jelly yellow
- lovely red
- ocean blue
- lemon green
- cyber orange
- concrete grey

SWING DISC




Swing with ceiling fixation.






MOON BALL 250



MOON BALL 250 E27




LAMP POWER: E11 DIM
max. 25W A₊D T₂-E

REMARKS

- transportation supply cable included of 1 m and fix for ceiling
- Dimming depends on lamp type

MOON BALL 300 E27




LAMP POWER: E11 DIM
max. 25W A₊D T₂-E

REMARKS

- transportation supply cable included of 1 m and fix for ceiling
- Dimming depends on lamp type

MOON BALL 350 E27



LAMP POWER: E11 DIM
max. 100W A₊D T₂-E


REMARKS

- transportation supply cable included of 1 m and fix for ceiling
- Dimming depends on lamp type

FUSCHIO MINI



FUSCHIO MINI LED



LUM. FLUX: LED PWR: E11 CCT: SYSTEM PWR: E11
1500 lm 6.8W NEG1 19.2W A
1500 lm 6.5W GOOD 20.5W A
3000 lm 7.9W 92 3000K 19.6W A+
3000 lm 7.1W 92 4000K 19.6W A+
3000 lm 5.6W 92 CW 18.9W A
2100 lm 25.0W A6-A1 30.3W A
2100 lm 3.7W 92 57-70 34.5W A
2400 lm 19.6W 92 2700K 23.1W A+
2010 lm 92 3000K 23.3W A+
2010 lm 20.9W 92 4000K 23.3W A+
2800 lm 37.8W NEG1 42.3W A
2800 lm 44.8W GOOD 49.3W A
3000 lm 25.7W 92 3000K 29.0W A+
3000 lm 24.8W 92 4000K 28.6W A+
3000 lm 29.1W 92 CW 33.6W A
3000 lm 28.5W 92 2700K 33.1W A+
3000 lm 29.5W 92 3000K 33.5W A+
4000 lm 38.6W 92 2700K 37.9W A+
4000 lm 32.0W 92 3000K 37.1W A+
4000 lm 28.6W 92 4000K 33.0W A+
4000 lm 39.6W 92 2700K 43.8W A+
4000 lm 35.6W 92 3000K 43.1W A+
4000 lm 33.9W 92 4000K 37.1W A+

MOUNTING





OPTIONS





SUSPENSION

- fix 2f
- fix 8
- fix 2f
- fix 2CC
- fix 8N








Horeca Van Zon / BE - Beersse

NUDE CAMPANA



NUDE CAMPANA LED



LUM. FLUX	LED PWR	CRI	CCI	SYSTEM PWR	EE	DIM.
2000 lm	5,8 W 7,1 W 7,1 W	92 92 92	5750K 3000K 4000K	19,4 W 19,4 W 19,4 W	A+ A+ A+	DALI
2000 lm	5,6 W	92	CV	18,9 W	A	DALI
2100 lm	25,0 W	92	MEAT	30,3 W	A	DALI
2100 lm	5,2 W	92	6-LED	34,3 W	A	DALI
2100 lm	12,6 W 7,1 W 7,1 W	92 92 92	2750K 3000K 3000K	23,1 W 23,3 W 23,3 W	A+ A+ A+	DALI
2800 lm	37,8 W	92	165K	42,5 W	A	DALI
2800 lm	48,8 W	92	600D	49,3 W	A	DALI
3000 lm	23,7 W 24,8 W 24,8 W	92 92 92	3000K 3000K 4000K	27,3 W 27,3 W 28,4 W	A+ A+ A+	DALI
3000 lm	29,1 W	92	CV	33,7 W	A	DALI
3000 lm	28,3 W 24,1 W 24,1 W	92 92 92	2750K 3000K 3000K	34,1 W 33,9 W 33,9 W	A+ A+ A+	DALI
4000 lm	14,0 W 12,0 W 12,0 W	92 92 92	2750K 3000K 3000K	17,0 W 17,1 W 17,1 W	A+ A+ A+	DALI
4000 lm	42,4 W	92	CV	46,6 W	A	DALI
4000 lm	39,6 W 33,9 W 33,9 W	92 92 92	2750K 3000K 4000K	41,8 W 42,3 W 42,3 W	A+ A+ A+	DALI
8000 lm	74,8 W	92	3000K	84,0 W	A+	DALI
8000 lm	74,8 W	92	4000K	84,0 W	A+	DALI



OPTIONS




SUSPENSION

- 8x Z1
- 8x Z1
- 8x ZEGG
- 8x Z2

NUDE CAMPANA APOLLO



NUDE CAMPANA APOLLO LED



LUM. FLUX	LED PWR	CRI	CCI	SYSTEM PWR	EE	DIM.
2000 lm	5,8 W 7,1 W 7,1 W	92 92 92	5750K 3000K 4000K	19,4 W 19,4 W 19,4 W	A+ A+ A+	DALI
3000 lm	29,1 W	92	CV	33,7 W	A	DALI
2500 lm	19,6 W 20,9 W 20,9 W	92 92 92	2750K 3000K 3000K	23,1 W 23,3 W 23,3 W	A+ A+ A+	DALI
2100 lm	36,2 W	92	6-LED	46,3 W	A	DALI
3000 lm	24,9 W 23,7 W 23,7 W	92 92 92	2750K 3000K 4000K	27,0 W 27,3 W 27,3 W	A+ A+ A+	DALI
2800 lm	26,0 W	92	MEAT	31,3 W	A	DALI
2800 lm	44,8 W	92	300D	49,3 W	A	DALI
3000 lm	28,3 W 24,1 W 24,1 W	92 92 92	2750K 3000K 3000K	34,1 W 33,9 W 33,9 W	A+ A+ A+	DALI
4000 lm	14,0 W 12,0 W 12,0 W	92 92 92	2750K 3000K 3000K	17,0 W 17,1 W 17,1 W	A+ A+ A+	DALI
4000 lm	37,8 W	92	MEAT	42,5 W	A	DALI
4000 lm	39,6 W 33,9 W 33,9 W	92 92 92	2750K 3000K 4000K	41,8 W 42,3 W 42,3 W	A+ A+ A+	DALI
2000 lm	16,6 W	92	CV	18,9 W	A	DALI



OPTIONS




SUSPENSION

- 8x Z1
- 8x Z1
- 8x ZEGG
- 8x Z2

NUDE CAMPANA SCOOP



NUDE CAMPANA SCOOP LED



LUM. FLUX	LED PWR	CRI	CCI	SYSTEM PWR	EE	DIM.
2000 lm	5,8 W 7,1 W 7,1 W	92 92 92	5750K 3000K 4000K	19,4 W 19,4 W 19,4 W	A+ A+ A+	DALI
2100 lm	25,0 W	92	MEAT	30,3 W	A	DALI
2000 lm	2,6 W 2,1 W 2,1 W	92 92 92	165K 3000K 4000K	26,1 W 26,6 W 26,6 W	A+ A+ A+	DALI
3000 lm	24,9 W 24,8 W 24,8 W	92 92 92	2750K 3000K 4000K	29,0 W 28,4 W 28,4 W	A+ A+ A+	DALI
2800 lm	37,8 W	92	MEAT	42,5 W	A	DALI
3000 lm	25,1 W 24,3 W 24,3 W	92 92 92	2750K 3000K 3000K	31,1 W 31,3 W 31,3 W	A+ A+ A+	DALI
4000 lm	34,0 W 28,4 W 28,4 W	92 92 92	2750K 3000K 4000K	37,7 W 33,3 W 33,3 W	A+ A+ A+	DALI
2100 lm	30,2 W	92	600D	34,3 W	A	DALI
4000 lm	49,6 W 35,7 W 35,7 W	92 92 92	2750K 3000K 4000K	44,8 W 39,6 W 39,6 W	A+ A+ A+	DALI
2800 lm	16,6 W	92	CV	18,9 W	A	DALI
3000 lm	44,8 W 29,1 W	92 92	600D CV	49,3 W 33,7 W	A A+	DALI



OPTIONS



SUSPENSION


- 8x Z1
- 8x Z1
- 8x ZEGG
- 8x Z2



SATELLITE APOLLO



SATELLITE APOLLO LED



LUM. FLUX	LED PWR	CRI	CCT	SYSTEM PWR	EER	DIMA
2000 lm	5,6 W 7,1 W	92	5700K 4000K	19,6 W 19,6 W	A+	DALI
2000 lm	5,6 W 7,1 W	92	4000K 3000K	18,9 W 18,9 W	A	DALI
2100 lm	5,2 W 6,7 W	92	5700K 4000K	18,3 W 18,3 W	A+	DALI
2100 lm	5,2 W 6,7 W	92	4000K 3000K	17,6 W 17,6 W	A	DALI
2800 lm	12,6 W 16,1 W	92	5700K 4000K	34,3 W 34,3 W	A+	DALI
2800 lm	12,6 W 16,1 W	92	4000K 3000K	33,6 W 33,6 W	A	DALI
3000 lm	29,1 W 37,6 W	92	5700K 4000K	72,3 W 72,3 W	A+	DALI
3000 lm	29,1 W 37,6 W	92	4000K 3000K	71,6 W 71,6 W	A	DALI
4000 lm	39,6 W 51,1 W	92	5700K 4000K	93,3 W 93,3 W	A+	DALI
4000 lm	39,6 W 51,1 W	92	4000K 3000K	92,6 W 92,6 W	A	DALI

ACCESSORIES / OPTIONS



Mounting



Options




Suspension

- Ik 21
- Ik 2T
- Ik 2GG
- Ik 2Z

SATELLITE SCOOP



SATELLITE SCOOP LED



LUM. FLUX	LED PWR	CRI	CCT	SYSTEM PWR	EER	DIMA
2000 lm	5,6 W 7,1 W	92	5700K 4000K	19,6 W 19,6 W	A+	DALI
2000 lm	5,6 W 7,1 W	92	4000K 3000K	18,9 W 18,9 W	A	DALI
2100 lm	5,2 W 6,7 W	92	5700K 4000K	18,3 W 18,3 W	A+	DALI
2100 lm	5,2 W 6,7 W	92	4000K 3000K	17,6 W 17,6 W	A	DALI
2800 lm	12,6 W 16,1 W	92	5700K 4000K	34,3 W 34,3 W	A+	DALI
2800 lm	12,6 W 16,1 W	92	4000K 3000K	33,6 W 33,6 W	A	DALI
3000 lm	29,1 W 37,6 W	92	5700K 4000K	72,3 W 72,3 W	A+	DALI
3000 lm	29,1 W 37,6 W	92	4000K 3000K	71,6 W 71,6 W	A	DALI
4000 lm	39,6 W 51,1 W	92	5700K 4000K	93,3 W 93,3 W	A+	DALI
4000 lm	39,6 W 51,1 W	92	4000K 3000K	92,6 W 92,6 W	A	DALI


ACCESSORIES / OPTIONS



SATELLITE LOTUS



SATELLITE LOTUS LED



LUM. FLUX	LED PWR	CRI	CCT	SYSTEM PWR	EER	DIMA
2000 lm	5,6 W 7,1 W	92	2700K 4000K	19,3 W 19,6 W	A+	DALI
2000 lm	5,6 W 7,1 W	92	4000K 3000K	18,6 W 18,9 W	A	DALI
2100 lm	5,2 W 6,7 W	92	2700K 4000K	18,0 W 18,3 W	A+	DALI
2100 lm	5,2 W 6,7 W	92	4000K 3000K	17,3 W 17,6 W	A	DALI
2800 lm	12,6 W 16,1 W	92	2700K 4000K	33,7 W 34,0 W	A+	DALI
2800 lm	12,6 W 16,1 W	92	4000K 3000K	33,0 W 33,3 W	A	DALI
3000 lm	29,1 W 37,6 W	92	2700K 4000K	70,0 W 70,3 W	A+	DALI
3000 lm	29,1 W 37,6 W	92	4000K 3000K	69,3 W 69,6 W	A	DALI
4000 lm	39,6 W 51,1 W	92	2700K 4000K	89,0 W 89,3 W	A+	DALI
4000 lm	39,6 W 51,1 W	92	4000K 3000K	88,3 W 88,6 W	A	DALI

ACCESSORIES / OPTIONS



Mounting




Options



Suspension

- Ik 21
- Ik 2T
- Ik 2GG
- Ik 2Z

KARDAN SCOOP



ADJUSTING



OPTIONS



SUSPENSION

- X, Z1
- X, Z2
- X, ZT
- X, ZEG
- X, G.


LUM. FLUX	LED PWR	CH	CCT	SYSTEM PWR	EH
2x 2000 lm	2x 16,6W	92	5W	37,8W	A
2x 2100 lm	2x 16,6W	92	700K	60,8W	A
2x 2500 lm	2x 19,5W	92	3000K	46,0W	A+
2x 2500 lm	2x 20,0W	92	4000K	46,2W	A+
2x 2800 lm	2x 24,48W	92	6500	49,0W	A
2x 2900 lm	2x 27,8W	92	9000K	55,6W	A+
2x 3000 lm	2x 24,2W	92	2700K	48,4W	A+
2x 3000 lm	2x 23,7W	92	3000K	47,4W	A+
2x 3500 lm	2x 28,4W	92	4000K	56,8W	A+
2x 3500 lm	2x 29,2W	92	5000K	58,4W	A+
2x 4000 lm	2x 24,8W	92	4000K	49,6W	A+
2x 4000 lm	2x 24,4W	92	5W	48,8W	A
2x 4000 lm	2x 24,4W	92	2700K	48,8W	A
2x 4000 lm	2x 24,4W	92	3000K	48,8W	A
2x 4000 lm	2x 24,4W	92	4000K	48,8W	A
2x 4500 lm	2x 29,9W	92	2700K	59,8W	A+
2x 4500 lm	2x 30,7W	92	3000K	61,4W	A+
2x 4500 lm	2x 31,5W	92	3700K	63,0W	A+
2x 4500 lm	2x 33,0W	92	4700K	66,0W	A+



ACCESSORIES / OPTIONS



KARDAN SCOOP 2x HIT



LAMP POWER	LUM. FLUX	CH	CCT	SYSTEM PWR	EH
35W HI	4700 lm	90	3000K	42W	A+
35W HI	3800 lm	90	4200K	42W	A+
50W HI	4700 lm	90	3000K	42W	A+
50W HI	5400 lm	90	3000K	55W	A+
70W HI	7800 lm	90	3000K	80W	A+
70W HI	7800 lm	90	4200K	80W	A+
100W HI	8200 lm	90	3000K	85W	A+
100W HI	13500 lm	90	4200K	100W	A+




Intermarché / FR - Lomme / Agence Moyelle Architecture Intérieure Design / Sodalem

SKUARDO SCOOP



SKUARDO SCOOP 2x LED



IP68	IP69K	IP69	1.4	3K	CR	5Y
2700K	2700K	40°-55°	40°-55°	40°-55°	90000h	5Y

LUM. FLUX	LED PWR	CRI	CCF	SYSTEM PWR	LED	DIM.
2x 1300 lm	2x 16.8W	·	REG.	38.2W	A	Dim
2x 1800 lm	2x 18.3W	·	GOOD	41.8W	A	Dim
2x 2000 lm	2x 19.1W	92	3000K	38.6W	A+	Dim
2x 2000 lm	2x 19.1W	92	4000K	38.6W	A+	Dim
2x 2000 lm	2x 16.6W	92	CW	37.8W	A	Dim
2x 2100 lm	2x 20.7W	·	REG.	47.0W	A	Dim
2x 2100 lm	2x 30.2W	·	GOOD	65.0W	A	Dim
2x 2300 lm	2x 19.6W	92	2700K	46.2W	A+	Dim
2x 2300 lm	2x 20.1W	92	3000K	46.6W	A+	Dim
2x 2300 lm	2x 20.9W	92	4000K	46.2W	A+	Dim
2x 2800 lm	2x 37.8W	·	REG.	85.0W	A	Dim
2x 3000 lm	2x 44.8W	·	GOOD	99.0W	A	Dim
2x 3000 lm	2x 21.0W	92	2700K	39.0W	A1	Dim
2x 3000 lm	2x 21.0W	92	3000K	39.0W	A1	Dim
2x 3000 lm	2x 21.0W	92	4000K	39.0W	A1	Dim
2x 3500 lm	2x 29.3W	92	2700K	56.2W	A+	Dim
2x 3500 lm	2x 29.3W	92	3000K	57.0W	A+	Dim
2x 4200 lm	2x 54.0W	92	2700K	75.0W	A+	Dim
2x 4200 lm	2x 54.0W	92	3000K	74.2W	A+	Dim
2x 4200 lm	2x 28.6W	92	4000K	55.0W	A+	Dim
2x 4200 lm	2x 42.6W	92	CW	74.8W	A	Dim
2x 4500 lm	2x 39.4W	92	2700K	57.0W	A+	Dim
2x 4500 lm	2x 39.4W	92	3000K	57.0W	A+	Dim
2x 4500 lm	2x 33.2W	92	4000K	48.2W	A+	Dim

ACCESORIOS / OPTIONS



MOUNTING



OPTIONS



SUSPENSION


- Lic. 202
- Lic. 21
- Lic. 22
- Lic. 21



GALEA



GALEA E27



LAMP POWER: E27 DIM
max. 200W A+ D TITLE

Mounting



Options




Suspension

- X1
- X2
- X3
- X4
- X5
- X6
- X7
- X8
- X9
- X10
- X11
- X12
- X13
- X14
- X15
- X16
- X17
- X18
- X19
- X20
- X21
- X22
- X23
- X24
- X25
- X26
- X27
- X28
- X29
- X30
- X31
- X32
- X33
- X34
- X35
- X36
- X37
- X38
- X39
- X40
- X41
- X42
- X43
- X44
- X45
- X46
- X47
- X48
- X49
- X50
- X51
- X52
- X53
- X54
- X55
- X56
- X57
- X58
- X59
- X60
- X61
- X62
- X63
- X64
- X65
- X66
- X67
- X68
- X69
- X70
- X71
- X72
- X73
- X74
- X75
- X76
- X77
- X78
- X79
- X80
- X81
- X82
- X83
- X84
- X85
- X86
- X87
- X88
- X89
- X90
- X91
- X92
- X93
- X94
- X95
- X96
- X97
- X98
- X99
- X100

BORA




BORA E27



LAMP POWER: E27 DIM
max. 200W A+ D TITLE

BORA ORION FLEX



LUM. FLUX	LED PWR	CH	CTT	SYSTEM PWR	EEB	DIMA
1000 lm	7.5W	92	2700K	9.3W	A+	A+
	7.5W	92	3000K	9.3W	A+	A+
	7.5W	92	4000K	9.3W	A+	A+
1000 lm	8.1W	92	CM	10.1W	A	A
1500 lm	11.6W	92	2700K	13.7W	A+	A+
	11.6W	92	3000K	13.7W	A+	A+
	11.6W	92	4000K	13.7W	A+	A+
1500 lm	11.6W	92	CM	13.7W	A	A
1500 lm	16.8W	92	NEAT	9.2W	A	DALI
1500 lm	16.8W	92	GOOD	21.9W	A	DALI
2000 lm	16.8W	92	2700K	9.1W	A+	DALI
	16.8W	92	3000K	9.1W	A+	DALI
	16.8W	92	4000K	9.1W	A+	DALI
2000 lm	16.8W	92	CM	21.9W	A	DALI
2000 lm	26.0W	92	NEAT	9.2W	A	DALI
2000 lm	26.0W	92	GOOD	29.2W	A	DALI
2000 lm	26.0W	92	2700K	21.1W	A+	DALI
	26.0W	92	3000K	21.1W	A+	DALI
	26.0W	92	4000K	21.1W	A+	DALI
2000 lm	26.0W	92	CM	29.2W	A	DALI
3000 lm	24.9W	92	2700K	29.0W	A+	DALI
	24.9W	92	3000K	29.0W	A+	DALI
	24.9W	92	4000K	29.0W	A+	DALI
3000 lm	24.9W	92	CM	33.7W	A	DALI
5000 lm	28.5W	92	2700K	33.1W	A+	DALI
	28.5W	92	3000K	33.1W	A+	DALI
	28.5W	92	4000K	33.1W	A+	DALI
5000 lm	28.5W	92	CM	38.7W	A	DALI

Mounting



Options




Suspension

- X1
- X2
- X3
- X4
- X5
- X6
- X7
- X8
- X9
- X10
- X11
- X12
- X13
- X14
- X15
- X16
- X17
- X18
- X19
- X20
- X21
- X22
- X23
- X24
- X25
- X26
- X27
- X28
- X29
- X30
- X31
- X32
- X33
- X34
- X35
- X36
- X37
- X38
- X39
- X40
- X41
- X42
- X43
- X44
- X45
- X46
- X47
- X48
- X49
- X50
- X51
- X52
- X53
- X54
- X55
- X56
- X57
- X58
- X59
- X60
- X61
- X62
- X63
- X64
- X65
- X66
- X67
- X68
- X69
- X70
- X71
- X72
- X73
- X74
- X75
- X76
- X77
- X78
- X79
- X80
- X81
- X82
- X83
- X84
- X85
- X86
- X87
- X88
- X89
- X90
- X91
- X92
- X93
- X94
- X95
- X96
- X97
- X98
- X99
- X100

BORA CERES



BORA CERES LED



LUM. FLUX	LED PWR	CH	CTT	SYSTEM PWR	EEB	DIMA
1000 lm	7.5W	92	2700K	9.3W	A+	A+
	7.5W	92	3000K	9.3W	A+	A+
	7.5W	92	4000K	9.3W	A+	A+
1000 lm	8.1W	92	CM	10.1W	A	A
1500 lm	11.6W	92	2700K	13.7W	A+	A+
	11.6W	92	3000K	13.7W	A+	A+
	11.6W	92	4000K	13.7W	A+	A+
1500 lm	11.6W	92	CM	13.7W	A	A
1500 lm	16.8W	92	NEAT	9.2W	A	A
1500 lm	16.8W	92	GOOD	21.9W	A	DALI
2000 lm	16.8W	92	2700K	9.1W	A+	DALI
	16.8W	92	3000K	9.1W	A+	DALI
	16.8W	92	4000K	9.1W	A+	DALI
2000 lm	16.8W	92	CM	21.9W	A	DALI
2000 lm	26.0W	92	NEAT	9.2W	A	DALI
2000 lm	26.0W	92	GOOD	29.2W	A	DALI
2000 lm	26.0W	92	2700K	21.1W	A+	DALI
	26.0W	92	3000K	21.1W	A+	DALI
	26.0W	92	4000K	21.1W	A+	DALI
2000 lm	26.0W	92	CM	29.2W	A	DALI
3000 lm	24.9W	92	2700K	29.0W	A+	DALI
	24.9W	92	3000K	29.0W	A+	DALI
	24.9W	92	4000K	29.0W	A+	DALI
3000 lm	24.9W	92	CM	33.7W	A	DALI
5000 lm	28.5W	92	2700K	33.1W	A+	DALI
	28.5W	92	3000K	33.1W	A+	DALI
	28.5W	92	4000K	33.1W	A+	DALI
5000 lm	28.5W	92	CM	38.7W	A	DALI

Mounting




Options




Suspension


- X1
- X2
- X3
- X4
- X5
- X6
- X7
- X8
- X9
- X10
- X11
- X12
- X13
- X14
- X15
- X16
- X17
- X18
- X19
- X20
- X21
- X22
- X23
- X24
- X25
- X26
- X27
- X28
- X29
- X30
- X31
- X32
- X33
- X34
- X35
- X36
- X37
- X38
- X39
- X40
- X41
- X42
- X43
- X44
- X45
- X46
- X47
- X48
- X49
- X50
- X51
- X52
- X53
- X54
- X55
- X56
- X57
- X58
- X59
- X60
- X61
- X62
- X63
- X64
- X65
- X66
- X67
- X68
- X69
- X70
- X71
- X72
- X73
- X74
- X75
- X76
- X77
- X78
- X79
- X80
- X81
- X82
- X83
- X84
- X85
- X86
- X87
- X88
- X89
- X90
- X91
- X92
- X93
- X94
- X95
- X96
- X97
- X98
- X99
- X100



LATERNA AIR



LATERNA AIR LED



LUM. FLUX	LED PWR	CR	CCT	SYSTEM PWR	EFF	DIM.
6000 lm	52.8W	90	3000K	350W	A++	Dali
8000 lm	52.8W	90	4000K	350W	A++	Dali
10000 lm	52.8W	90	3000K	480W	A++	Dali
10000 lm	52.8W	90	4000K	480W	A++	Dali
10000 lm	52.8W	80	3000K	500W	A++	Dali
10000 lm	52.8W	80	4000K	500W	A++	Dali
17000 lm	82.0W	80	3000K	970W	A++	Dali
17000 lm	82.0W	80	4000K	970W	A++	Dali

MOUNTING
ATHENA
ATHENA UP

OPTIONS


SUSPENSION

- fix 2I
- fix 2T
- fix 20%

SOLAR AIR



SOLAR AIR LED



LUM. FLUX	CR	CCT	SYSTEM PWR	EFF
15500 lm	50	4000K	1080W	A++
22000 lm	50	4000K	1680W	A++

MOUNTING
SOAR
SOAR UP


SUSPENSION

- fix 4E1

SOLAR II AIR



SOLAR II AIR LED



LUM. FLUX	CR	CCT	SYSTEM PWR	EFF
43500 lm	60	4000K	3320W	A++

MOUNTING
SOAR
SOAR UP

SUSPENSION


- fix 4E1

ROSA - BE CREATIVE WITH OUR SOUND ABSORBING LUMINAIR.


The Rosa is designed to light the room and to absorb at the same time acoustic noise.

ROSA WITHOUT FIXTURE

ROSA 700



ROSA 700



- REMARKS**
- sound absorbing foam
 - multiple colors available.

MOUNTING




SUSPENSION


- fix 40C
- fix 4I
- fix 4J
- fix F
- fix P4

ROSA WITH FIXTURE

ROSA SPOT 700



ROSA SPOT 700 LED



LUM. FLUX	LED PWR	CEI	CCT	SYSTEM PWR	EFF	DIM.
420lm	3.4W	90	2700K	3.53W	14	DALI+12V
Ø140mA	3.4W	90	3000K	3.53W	14	DALI+12V
600lm	4.4W	90	2700K	6.5W	14	DALI+12V
Ø180mA	4.4W	90	3000K	6.5W	14	DALI+12V
800lm	5.2W	90	2700K	8.1W	14	DALI+10V
Ø220mA	5.2W	90	3000K	8.1W	14	DALI+10V
1000lm	6.2W	90	2700K	11.0W	14	DALI+10V/TREE
Ø300mA	6.2W	90	3000K	11.0W	14	DALI+10V/TREE

- REMARKS**
- 4000K on request
 - sound absorbing foam
 - multiple colors available

MOUNTING



OPTIONS



SUSPENSION

- fix 40C
- fix 4I
- fix 4J
- fix F
- fix P4

DRIVERS

- LEDdrivers medimable
- LEDdrivers DALI
- LEDdrivers +10V
- LEDdrivers TEE

